

# Tautomeric Sensing with a Covalent Organic Framework

---

## Useful for gas- and liquid-phase sensing

This crystalline, porous polymer system reversibly changes color in the presence of volatile compounds. Facilitated by the chemical phenomena known as tautomerization, the color change is highly responsive and fast, occurring within seconds. This Georgia Tech innovation enables the development of passive and reversible sensors useful for a host of gas- and liquid-phase sensing.

The polymer's porosity and structural regularity combine with the rapid exchange rate and reversibility associated with tautomerism to produce a solid-state covalent organic framework (COF). In laboratory demonstrations, a colorimetric humidity sensing device constructed from an oriented thin film of the COF responded quickly to water vapor and was stable for months. These results suggest that tautomerization-induced electronic structure changes can be exploited in COF platforms to provide rapid, reversible sensing in systems that exhibit long-term stability.

## Summary Bullets

- **Fast:** Provides highly responsive color change within seconds
- **Passively reversible:** Does not require external stimuli for regeneration
- **Long-term stability:** Sensing ability extends for months

## Solution Advantages

- **Fast:** Provides highly responsive color change within seconds
- **Passively reversible:** Does not require external stimuli for regeneration
- **Long-term stability:** Sensing ability extends for months
- **Scalable:** Easily fabricated on a large scale

## Potential Commercial Applications

This material, along with its underlying mechanism, is ideal for a wide variety of gas- and liquid-phase sensing:

- On-board sensors in electronic devices
- Passive sensors in Internet of Things (IoT) systems
- Matrix sensors for biological, water remediation, and air-quality uses

## Background and More Information

Tautomers are constitutional isomers that are interconverted by migration of an atom or group of atoms—most commonly a proton—from one site to another. This chemical change is often rapid, and the relative stability of the tautomers can depend strongly on the surrounding environment, including the presence or absence of volatile species. Because tautomers often display rapid interconversion, sensitivity to different chemical stimuli, and switchable optical behavior, engineers have found extensive uses for them as molecular probes.

COFs are permanently porous and structurally precise polymer networks, and their chemical versatility and porosity make them an attractive platform for the detection of volatile analytes.

Georgia Tech's approach enhances the magnitude of the optical shift in a COF structure by incorporating tautomericly active subunits. In contrast with solvatochromism, which relies on stabilization of a single chromophore, tautomerism allows for a new chromophore to be generated upon exposure to volatile analytes. This innovation demonstrates the viability of practical tautomeric sensing and its use in engineered devices capable of complex sensing responses for volatile analytes in these materials.

## Inventors

- Dr. Seth Marder  
Regents Professor - Georgia Tech School of Chemistry and School of Materials Science and Engineering
- Stephen Barlow  
Senior Research Scientist – Georgia Tech School of Chemistry and Biochemistry
- Dr. Samik Jhulki  
Former Fulbright-Nehru Postdoctoral Research Fellow - Georgia Tech


## IP Status

Patent application has been filed: US62/896358

## Publications

[Humidity Sensing Through Tautomerism of a Covalent Organic Framework](#), Journal of the American Chemical Society - January 2, 2020

## Images



Visit the Technology here:

[Tautomeric Sensing with a Covalent Organic Framework](https://s3.sandbox.research.gatech.edu//index.php/print/pdf/node/3366)

---

<https://s3.sandbox.research.gatech.edu//index.php/print/pdf/node/3366>