

Energy Storage for Automotive/Portable Applications (#3626)

High-capacity, density and efficient hydrogen energy storage for automotive/portable applications

Georgia Tech inventors have developed a chemical storage system that provides reversible hydrogen storage and release at ultra-high capacity, density, speed, and ease, providing for low energy cost. The technology is based on a foldable polymer backbone that allows reversible uptake/storage/release of hydrogen fuel in response to thermal, chemical, mechanical, magnetic, electrical, or light stimuli. The storage system uses a natural or synthetic polymer with highly compact folding properties and chemically linked hydrogen-affine molecular complexes to provide an ultra-high surface area for hydrogen storage.

Benefits/Advantages

- **Increased storage density** — backbone offers high surface area for hydrogen storage
- **Fast and easy** — polymer readily folds and unfolds for hydrogen storage and fast release in response to actuation
- **Suitable for packaging** — uses compliant polymers as a matrix to assume any form factor

Potential Commercial Applications

- Hydrogen storage
- Automotive fuel cells
- Energy production
- Distributed power generation

Background/Context for This Invention

Conventional methods for hydrogen storage, such as compression and liquefaction, are not readily transferable to automotive or other portable applications. Improved hydrogen storage media and methods will enable greater use of alternative energy sources and reduce the reliance on hydrocarbon-based fuels. There is a need for a technology to provide a highly efficient method for hydrogen storage to make energy storage on board of vehicle economically feasible.

[See other hydrogen fuel-related technologies by Dr. Fedorov.](#) To see his entire portfolio of available technologies, [click here](#).

Dr. Andrei G. Fedorov

Professor and Rae S. and Frank H. Neely Chair - Georgia Tech School of Mechanical Engineering

More Information

U.S. Patent Issued - [8,372,947](#)

Publications

For more information about this technology, please visit:

<https://licensing.research.gatech.edu/technology/energy-storage-automotiveportable-applications>

Images:

The automated sequential delivery of multiple fluids. A varying number of delay gates imprinted in the branches are shown in the figure.

COVID-19 and flu saliva test on paper: (A) The automatic sequential delivery of multiple reagents required for virus test; (B) Water pouring into the device triggers the virus assay, allowing the presence of SARS-CoV-2 and influenza A & B viruses to be visually identified by the color changes in the corresponding detection spot

