

Laser Rastering and Photoprocessing to Create Graphene Sheets (#5116)

Bench-top production of graphene sheets via laser rastering and photoprocessing of graphite oxide

The inventors have developed a method to produce macroscale graphene from graphite oxide sheets or extended films. The method uses synthetic methods and laser excitation/irradiation in both pulsed or continuous wave excitation mode. The laser induced processes do not require high power densities. The process is easily scalable and can be done under ambient conditions. The required lasers are commercially available and the starting material, graphite oxide is inexpensive and can be synthesized via standard known methods. The large-scale production of graphene from graphite oxide is achieved by simple rastering of the laser beam across the surface of a graphite oxide foil or by using broad beam irradiation. Alternatively, if a pattern of graphene is desired, conventional lithographic techniques can be used to produce the pattern.

Benefits/Advantages

- Large-scale production of graphene
- Can be performed in a variety of environments from ambient to inert.
- Patterned graphene features readily and easily achieved
- Photoprocessed graphene can be directly deposited on any substrate
- Starting material is an easily synthesized bulk, macroscale material
- Overall method is scalable
- Does not require harsh chemicals or high temperatures

Potential Commercial Applications

- The development of components with high strength to weight ratio for such uses as windmill blades or aircraft components
- High frequency transistors.
- Electronic device display screens
- Graphene sheets: ultracapacitors that store electrons on graphene sheets show better performance than batteries

Background/Context for This Invention

Graphene is a one-atom thick, two-dimensional, hexagonal, planar sp² hybridized carbon network. Despite its simple chemical structure, graphene exhibits a myriad of unique electrical properties, including ballistic transport of electrons and high electron mobility. Additionally, although it has a simple structure, graphene is challenging to produce. Reproducible, inexpensive growth strategies for graphene continue to be pursued, as an alternative to methods that require vacuum pressures or clean room facilities.

Dr. Thomas Orlando

Professor - Georgia Tech School of Chemistry and Biochemistry

Denis A. Sokolov

Graduate Student — Georgia Tech Department of Chemistry and Biochemistry

Kristin Rene Shepperd

Postdoctoral Fellow — Georgia Tech Department of Chemistry and Biochemistry

More Information

U.S. Patent Issued - [8,883,042](#)

Publications

For more information about this technology, please visit:

<https://licensing.research.gatech.edu/technology/laser-rastering-and-photoprocessing-create-graphene-sheets>

Images:

The automated sequential delivery of multiple fluids. A varying number of delay gates imprinted in the branches are shown in the figure.

COVID-19 and flu saliva test on paper: (A) The automatic sequential delivery of multiple reagents required for virus test; (B) Water pouring into the device triggers the virus assay, allowing the presence of SARS-CoV-2 and influenza A & B viruses to be visually identified by the color changes in the corresponding detection spot

