Georgia | Research
Tech | Corporation

Technologies
Available for LICENSING

OFFICE OF TECHNOLOGY LICENSING

https://licensing.research.gatech.edu | techlicensing@gtrc.gatech.edu

Smart Webcam Shield Protects Users from Unknown External Digital Intrusion

Superior automation to block unauthorized use of webcam, removing risk caused by user inattention

This smart shield for web cameras (webcams) adds a layer of security by utilizing one of two automated methodsâ??an electrical-induced film and a motorized coverâ??to prevent unauthorized use of a computerâ??s camera. Both battery-powered methods obfuscate the webcam lens until the deviceâ??s sensitive phototransistor is triggered by the light-emitting diode (LED) indicator. If malicious individuals assert software to remotely initiate the webcam recording while bypassing the LED indicator, the smart shieldâ??s obstruction of remote visual access will remain in place as a defense for user privacy.

The technology actualizes with two methods of causing a blanket disruption to the cameraâ??s view when the LED indicator is off. The first method deploys an electrical polymer-dispersed liquid crystal (PDLC) film over the lens, while the second shifts a motor-initiated physical polyvinyl chloride (PVC) film cover across the camera field. The benefit of the PDLC film is that it is thin, flexible, electrically stable, and readily employed by an electrically switchable transmittance. The PVC cover offers the physical block over the camera that a majority of users prefer.

Both methods have been developed into working prototypes that have been tested on a laptop.

Whether the workstation is a work-from-home laptop or the family computer, this Georgia Tech innovation may offer protection of corporate strategy, childrenâ??s wellbeing, and personal privacy by reducing the risk of digital intrusion by unauthorized webcam recordings.

Summary Bullets

- **Secure**: Offers visual obstruction of the webcam even when remote software attempts to record without triggering the computerâ??s LED indicator
- **Reliable**: Automates the webcam safeguard for ongoing protection without reliance on user engagement
- **Flexible**: Enables two different actuators via the same sensor

Solution Advantages

- **Secure**: Offers visual obstruction of the webcam even when remote software attempts to record without triggering the computerâ??s LED indicator

- **Reliable**: Automates the webcam safeguard for ongoing protection without reliance on user engagement
- **Flexible**: Enables two different actuators via the same sensor

Potential Commercial Applications

- Personal safety
- Corporate security
- Classroom shielding

Background and More Information

Since electronics designers miniaturized the webcam to fit into a personal computer, there have been efforts to increase its safeguards. Research shows that users have greater confidence in a physical block of their computerâ??s webcam, with 61.5% admitting they have forgotten to engage a cover (e.g., sticker, integrated slide) despite intrusion concerns. There have been many instances of personal security breach and corporate espionage utilizing computer webcams without the permission or knowledge of the computerâ??s owner. With significantly more users switching to home offices and children switching to remote learning modules due to the Covid-19 pandemic, there has been an increased reliance on personal computers within the home for work and school without the same level of security found on traditional corporate and school campuses. This technology is designed to enhance security in these situations.

Inventors

- Youngwook Do
  Phd Student - Georgia Institute of Technology
- Dr. Gregory Abowd
  Former Distinguished Professor - Georgia Tech School of Interactive Computing
- Dr. Sauvik Das
  Assistant Professor - Georgia Tech Institute for Information Security & Privacy
- Jung Park
  Phd Student - Georgia Institute of Technology

IP Status

: 63/114, 629

Publications

, -

Images

PDLC film stays opaque when a webcam LED indicator is off   PDLC film turns transparent when a webcam LED indicator is lit

Battery Pack

Method 1: Electrical PDLC Smart Webcam Cover

Motor Board + Battery Pack

Board Container Lid

PVC film Cover

Sensing Board

Motor Board + Battery Pack

Method 2: Motorized Smart Webcam Cover

Visit the Technology here:
[Smart Webcam Shield Protects Users from Unknown External Digital Intrusion](#)

https://s3.sandbox.research.gatech.edu//print/pdf/node/3313