

Technologies Available for LICENSING

OFFICE OF TECHNOLOGY LICENSING

https://licensing.research.gatech.edu | techlicensing@gtrc.gatech.edu

Chemotaxis Bacterial Cell Separation and **Preconcentration**

Microfluidic device for the quick detection and study of live bacteria

Researchers at Georgia Tech developed a microfluidic device that allows the study of chemotaxis and even detection of live and viable bacteria. A combination of microfluidic channels, nitrocellulose membrane, and chemical gradients allows for the analysis of bacterial movement and the detection of viable bacteria quickly, directly, and cheaply. The device can create a linear chemical gradient in less than 20 minutes. Importantly, the stability of this gradient is independent of the inflow of fluid. A positive (nutrient) or negative (noxious chemical) stimulant can then be introduced and the motility response of any live bacteria present can be detected and directly observed. Due to the designs of the chamber, movement of bacteria is solely caused by chemotaxis and not the simple flow of fluid.

Summary Bullets

- Ease-to-use Sensor design is simple and device is self-powered
- Versatile Allows detection of: NOx, SOx, H2S, CH4, CO, CO2, H2O, HCL, NH3, PH3, toluene, and mercaptons
- **Reliable** Design allows analysis with low power consumption at high temperatures

Solution Advantages

- Ease-to-use Sensor design is simple and device is self-powered
- Versatile Allows detection of: NOx, SOx, H₂S, CH₄, CO, CO₂, H₂O, HCL, NH₃, PH₃, toluene, and mercaptons
- **Reliable** Design allows analysis with low power consumption at high temperatures
- Innovative Self-calibrating sensor system that includes wireless telemetry

Potential Commercial Applications

- To study chemotaxis
- Detection/presence of live bacteria
- Food safety industry
- Oncology

Background and More Information

Chemotaxis is the process by which bacteria guide their movement in their environment. Using complex signaling pathways, bacteria can propel themselves to nutrients or away from toxic conditions. Beyond understanding a basic mechanism of bacterial propagation, understanding chemotaxis can help better understand and perhaps prevent human disease. Human pathogens use chemotaxis to enhance their survivability and proliferation, and ultimately cause disease. In the case of Salmonella, chemotaxis can be used to actually invade beyond the surfaces of food. Studies have shown Salmonella bacteria use chemotaxis to move beyond the surface and penetrate lettuce leaves, thus rendering standard food decontamination techniques and detection useless. Unfortunately, many current methodologies for bacteria detection, particularly pathogens in the food safety industry, are costly, time intensive, and do not always indicate the presence of live, viable bacteria.

Inventors


- Dr. Peter Hesketh
 Professor Georgia Tech School of Mechanical Engineering
- Alireza Mahdavifar
 Graduate Research Assistant Georgia Tech School of Mechanical Engineering
- Douglas Britton
 Senior Research Engineer Georgia Tech Research Institute
- Dr. Jie Xu
 Senior Research Engineer Georgia Tech Research Institute Agricultural Technology Research Program

:

Publications

A Nitrocellulose-Based Microfluidic Device for Generation of Concentration Gradients and Study of Bacterial Chemotaxis, Journal of the Electrochemical Society - 2014

Images



Visit the Technology here: Chemotaxis Bacterial Cell Separation and Preconcentration

https://s3.sandbox.research.gatech.edu//print/pdf/node/3663