

Submersible Vehicle Design Based on Biomimicry of Batoids

A submersible vehicle design suitable for extended underwater missions based on a improved batoid-based design

Georgia Tech researchers have developed a submersible vehicle design suitable for extended underwater missions based on a improved batoid-based design. The vehicle uses buoyancy to effectively control descent and ascent, and by mimicking the movement of batoids, it has superior hydrodynamic characteristics. The vehicle has a system of bladders that are inflated or deflated selectively to control propulsion, roll, and pitch. The bladders are also used to control fins that can flap, oscillate, or undulate to further control movement of the vehicle—built on the morphology and control surface architecture of batoids.

Summary Bullets

- **Extended range:** This vehicle's propulsion system does not require refueling, allowing for long range deployments.
- **Nearly silent:** Its limited use of mechanical components reduces the acoustic signature.
- **Highly maneuverable:** Scalable system provides three-dimensional maneuvering capabilities

Solution Advantages

- **Extended range:** This vehicle's propulsion system does not require refueling, allowing for long range deployments.
- **Nearly silent:** Its limited use of mechanical components reduces the acoustic signature.
- **Highly maneuverable:** Scalable system provides three-dimensional maneuvering capabilities

Potential Commercial Applications

- Vehicle for underwater operations- oceanographic exploration
- Military applications
- Unmanned vehicle
- Aircraft
- Surface marine vehicles

Background and More Information

Most vehicles designed for underwater exploration are based on rigid-hull submarines. Their effectiveness is limited by the need to incorporate long tethered cables to a mother ship, propellers that become entangled in sea grass or debris, and rigid hulls that prevent maneuvering in close proximity to fragile ocean features. Furthermore, these vehicles require fuel for propulsion and cannot carry all that they would need for an extended deployment. Torpedo-shaped vehicles use buoyancy and gravity for efficient descend-ascend propulsion; however, these vehicles cannot readily maintain a constant depth and have limited maneuvering capabilities. More recently, researchers have explored the use of vehicles based on biomimicry of batoids—such as rays or skates—that employ mechanically actuated components for propulsion and maneuvering. However, these designs are complex and require considerable power—making them impractical for extended exploration.

Inventors

- Dr. Ari Glezer
George W. Woodruff Chair in Thermal Systems and Professor - Georgia Tech School of Mechanical Engineering
- Dr. Mark Allen
Adjunct Professor - Georgia Tech School of Electrical and Computer Engineering
- Lora Weiss
Georgia Tech Institute for Robotics and Intelligent Machines

IP Status


: US9032900B2

Publications

, -

Images

FIG. 1



Visit the Technology here:

[Submersible Vehicle Design Based on Biomimicry of Batoids](https://s3.sandbox.research.gatech.edu//print/pdf/node/3747)

<https://s3.sandbox.research.gatech.edu//print/pdf/node/3747>