

# Microgeodes Enable Tunable Optical Response for Advanced Coatings/Paint

---

## Scalable solution needed for designing optical materials with response over multiple spectral bands

Manufacturing functional materials for energy harvesting, thermal management, and coatings depends on the resolution of a longstanding issue with designing optical materials: how to engineer a response over multiple spectral bands. Materials for radiative cooling, for example, must strongly scatter visible wavelengths while strongly absorbing mid-infrared (mid-IR) radiation, and ultraviolet (UV) protective coatings must absorb or reflect UV light while remaining transparent in the visible wavelengths. To engineer a response in multiple bands, components that have optical resonances in different spectral regions must be combined; however, this process is typically application-specific and time-consuming.

## Microgeodes offer programmable optical response with expansive applications

Nanowire geode-based materials—hollow silica microcapsules containing semiconductor nanowires—provide a scalable solution with expansive applications. The nanoscale programmable structure of the nanowires allows their optical response to be engineered precisely over multiple spectral bands, from UV through mid-IR. The nanowires are grown in and encapsulated by colloidal silica microcapsules to form “microgeodes” that enable bulk and scalable synthesis while protecting the nanowires and ensuring they remain inside. By combining the optical properties of nanowires with the processability of conventional colloidal particles, the microgeodes provide a versatile photonic materials platform for a range of applications, including radiative cooling, UV protection, and spectrally tuned/tunable camouflage.

## Summary Bullets

- Microgeodes have a programmable structure of nanowires that allows their optical response to be engineered precisely over multiple spectral bands, from UV through mid-IR.
- Microgeodes combine the tunability and versatility of nanowires with the processability of microspheres to provide a photonic materials platform for a wide range of applications.
- Microgeode paints could reduce building surface temperatures by as much as 25°C, offering the potential for significant consumer savings while retaining aesthetically pleasing colors.

## Solution Advantages

- **Programmable:** The hierarchical structure of the microgeodes allows their optical response to be controlled precisely over multiple spectral bands, from UV through mid-IR.
- **Scalable:** Microgeodes offer an unprecedented combination of optical programmability and ease of fabrication. Given a target optical response, it is possible to specify a material structure that has the desired response.
- **Versatile photonic platform:** Microgeodes combine the tunability and versatility of nanowires (i.e., unparalleled control over the frequencies and widths of resonances) with the processability of microspheres (i.e., can be incorporated into flow processes and are easily stabilized).
- **Secure microgeode structure:** The colloidal silica microcapsules automatically protect the nanowires forming inside them, ensuring they remain in place.
- **Cost savings:** Microgeode paint could reduce building surface temperature by as much as 25°C, offering the potential for significant consumer savings.

#### Potential Commercial Applications

- Cooling paint/coating for building exteriors with aesthetically pleasing colors
- Exterior coatings of space vehicles for heat management
- Broad spectrum camouflage
- Radiatively cooled rooftop coatings

#### Inventors

- Dr. Michael Filler  
Associate Professor – Georgia Tech School of Chemical and Biomolecular Engineering
- Dr. Sang Han  
Former Ph.D student - Georgia Tech School of Mechanical Engineering
- Dr. Sang Han  
Associate Professor - University of New Mexico Department of Chemical and Biological Engineering
- Dr. Vinothan Manoharan  
Professor - University of New Mexico

#### IP Status

<p>Patent application has been filed</p>: US63/246865


#### Publications

, -

#### Images

# Our goal: Multispectral paints for building cooling

## Existing technology




### Shortcomings:

- **Poor cooling**
- Color degradation
- Complex formulation

## Proposed technology

### Microgeode paint

Replace pigment with microgeodes




### Advantages:

- Up to 25 °C temperature reduction, 47% power savings
- Maximize near-IR reflectivity and mid-IR emissivity
- Stable, tunable, and wide range of colors
- Scalable bulk synthesis
- Ease of formulation

## Multispectral paints for building cooling

### Our platform: Programmable “microgeodes”



Overview of geode-based materials platform.

Visit the Technology here:

[Microgeodes Enable Tunable Optical Response for Advanced Coatings/Paint](https://s3.sandbox.research.gatech.edu/print/pdf/node/3194)

<https://s3.sandbox.research.gatech.edu/print/pdf/node/3194>